

GABINET MAKERS GATALOG 2008/09

SUNGOLD[®]
ABRASIVES USA, INC.
The Perfect Start to the Perfect Finish[™]



SUNGOLD
USA, INC.

SUNGOLD® PREMIUM PLUS STICK-ON DISCS

FLAT PACK WITH LINER

- Open coat along with stearate coating minimizes loading and heat build up
- Strong C weight paper backing combined with layer of film provides durability
- Resin on resin bond offers extended disc life and water resistance
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Individual discs with liner to protect from dust
- Easy pull tab for quick easy removal of liner even when wearing gloves

APPLICATIONS

Wood, metal, plastic, fiberglass, paint, primer, solid surfaces

ORDERING INFORMATION

Order by the number of boxes

- *Cuts faster – reduces sanding time*
- *Lasts longer – reduces abrasive costs*
- *Improved grain retention – excellent edgewear*



Diameter	Grade	Part Number	Discs/Box	Min./Case
3" x No Hole	P60	26905	100	1/10
	P80	26906	100	1/10
5" x No Hole	P60	47305	100	1/10
	P80	47306	100	1/10
	P100	47307	100	1/10
	P120	47308	100	1/10
	P150	47309	100	1/10
	P180	47310	100	1/10
	P220	47311	100	1/10
	P240	47314	100	1/10
	P320	47312	100	1/10
	P400	47317	100	1/10
	P600	47319	100	1/10
	P800	47320	100	1/10
	P1000	47321	100	1/10
	P1200	47322	100	1/10
P1500	47324	100	1/10	
P2000	47326	100	1/10	
5" x 5 Hole	P60	47405	100	1/10
	P80	47406	100	1/10
	P100	47407	100	1/10
	P120	47408	100	1/10
	P150	47409	100	1/10
	P180	47410	100	1/10
	P220	47411	100	1/10
	P240	47414	100	1/10
	P320*	47412	100	1/10
	P400*	47417	100	1/10
	P600*	47419	100	1/10
P800*	47420	100	1/10	
P1000*	47421	100	1/10	
5" x 8 Hole	P100	47607	100	1/10
	P120*	47608	100	1/10
	P150	47609	100	1/10
	P220*	47611	100	1/10

Diameter	Grade	Part Number	Discs/Box	Min./Case
6" x No Hole	P60	47905	100	1/10
	P80	47906	100	1/10
	P100	47907	100	1/10
	P120	47908	100	1/10
	P150	47909	100	1/10
	P180	47910	100	1/10
	P220	47911	100	1/10
	P240	47914	100	1/10
	P320	47912	100	1/10
	P400	47917	100	1/10
	P600	47919	100	1/10
	P800	47920	100	1/10
	P1000	47921	100	1/10
	P1200	47922	100	1/10
P1500	47924	100	1/10	
P2000	47926	100	1/10	
6" x 6 Hole	P80	48006	100	1/10
	P100	48007	100	1/10
	P120	48008	100	1/10
	P150	48009	100	1/10
	P180	48010	100	1/10
	P220	48011	100	1/10
	P240	48014	100	1/10
P320	48012	100	1/10	
P400	48017	100	1/10	
8" x No Hole	P80	22906	50	1/10
	P100	22907	50	1/10
	P120	22908	50	1/10
	P150	22909	50	1/10
	P180	22910	50	1/10
	P220	22911	50	1/10
	P240	22914	50	1/10
	P320	22912	50	1/10
P400	22917	50	1/10	
P600	22919	50	1/10	

* Indicates non-stock item. Minimum order 15 boxes. 3 week lead time.



All other items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® PREMIUM PLUS STICK-ON DISCS

LINK DISCS – ON A ROLL – NO LINER

- Discs are on a continuous roll with serrations for easy separation



Diameter	Grade	Part Number	Discs/ Roll	Min./ Case
 5" x No Hole	P60	47105	100	1/10
	P80	47106	100	1/10
	P100	47107	100	1/10
	P120	47108	100	1/10
	P150	47109	100	1/10
	P180	47110	100	1/10
	P220	47111	100	1/10
	P240	47114	100	1/10
	P280	47115	100	1/10
	P320	47112	100	1/10
	P400	47117	100	1/10
	P600	47119	100	1/10
 5" x 5 Hole	P800	47120	100	1/10
	P80	47506	100	1/10
	P120*	47508	100	1/10
	P180	47510	100	1/10
	P220	47511	100	1/10
	P320	47512	100	1/10

P100, P120 & P150 are stocked in flat pack. See page 2.

Quick Disc Locator:

Size	Holes	Type	Grits	Page #
3-1/2"	0	PSA	60-2000	3
5"	0	PSA	40-2000	2,3,5,6,7,8
5"	5	PSA	40-1000	2,3,7
5"	8	PSA	100-220	2
5"	0	H&L	60-2000	4,5,6,7,8
5"	5	H&L	40-600	4,7
5"	8	H&L	40-800	4,7
5"	9	H&L	80-320	4
6"	0	PSA	40-2000	2,3,5,6,7,8
6"	6	PSA	80-400	2,3
6"	0	H&L	80-2000	4,5,6
6"	6	H&L	40-800	4,7
6"	8	H&L	60-800	4
6"	9	H&L	60-800	4,7
8"	0	PSA	80-600	2
8"	0	H&L	80-600	4

* Indicates non-stock item. Minimum order 39 rolls. 3 week lead time.

DELIVERY INFORMATION


All other items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

See page 2 for Product Information

ORDERING INFORMATION

Order by the number of rolls.
Other sizes of link rolls available on special order:
3-1/2" x No Hole and 6" x 6" Hole.








Diameter	Grade	Part Number	Discs/ Roll	Min./ Case
 6" x No Hole	P60	47705	100	1/10
	P80	47706	100	1/10
	P100	47707	100	1/10
	P120	47708	100	1/10
	P150	47709	100	1/10
	P180	47710	100	1/10
	P220	47711	100	1/10
	P240	47714	100	1/10
	P280	47715	100	1/10
	P320	47712	100	1/10
	P400	47717	100	1/10
	P500	47718	100	1/10
	P600	47719	100	1/10
	P800	47720	100	1/10

Conversion chart – Micron to Sungold:

Micron	Sungold Premium Plus
9u	P2000
12u - 13u	P1500
15u	P1200
20u - 22u	P800
30u	P600
40u	P400
50u	P280
60u	P240
80u	P180
100u	P150
120u	P120
150u	P100
180u	P80

SUNGOLD® PREMIUM PLUS Hook & Loop Discs - BULK PACK





See page 2 for Product Information

Diameter	Grade	Part Number	Discs/Box	Min./Case
 5" x No Hole	P60	48805	100	1/10
	P80	48806	100	1/10
	P100	48807	100	1/10
	P120	48808	100	1/10
	P150	48809	100	1/10
	P180	48810	100	1/10
	P220	48811	100	1/10
	P240	48814	100	1/10
	P320	48812	100	1/10
	P400	48817	100	1/10
	P600	48819	100	1/10
	P800	48820	100	1/10
	P1000	48821	100	1/10
	P1200	48822	100	1/10
P1500	48824	100	1/10	
P2000	48826	100	1/10	
 5" x 5 Hole	P60	48305	50	1/10
	P80	43806	100	1/10
	P100	43807	100	1/10
	P120	43808	100	1/10
	P150	43809	100	1/10
	P180	43810	100	1/10
	P220	43811	100	1/10
	P240	43814	100	1/10
	P320	43812	100	1/10
	P400	43817	100	1/10
P600	43819	100	1/10	
 5" x 8 Hole	P60	48405	50	1/10
	P80	43906	100	1/10
	P100	43907	100	1/10
	P120	43908	100	1/10
	P150	43909	100	1/10
	P180	43910	100	1/10
	P220	43911	100	1/10
	P320	43912	100	1/10
	P400	43917	100	1/10
	P600	43919	100	1/10
P800	43920	100	1/10	
 5" x 9 Hole	P80	49406	100	1/10
	P100	49407	100	1/10
	P120	49408	100	1/10
	P150	49409	100	1/10
	P220	49411	100	1/10
	P320	49412	100	1/10
 6" x No Hole	P80	48906	100	1/10
	P100	48907	100	1/10
	P120	48908	100	1/10
	P150	48909	100	1/10
	P180	48910	100	1/10
	P220	48911	100	1/10
	P240	48914	100	1/10
	P320	48912	100	1/10
	P400	48917	100	1/10
	P500	48915	100	1/10
	P600	48919	100	1/10
	P800	48920	100	1/10
	P1000	48921	100	1/10
	P1200	48922	100	1/10
P1500	48924	100	1/10	
P2000	48926	100	1/10	

ORDERING INFORMATION

Order by the number of boxes



Diameter	Grade	Part Number	Discs/Box	Min./Case
 6" x 6 Hole	P80	44306	100	1/10
	P100	44307	100	1/10
	P120	44308	100	1/10
	P150	44309	100	1/10
	P180	44310	100	1/10
	P220	44311	100	1/10
	P240	44314	100	1/10
	P320	44312	100	1/10
	P400	44317	100	1/10
	P600	44319	100	1/10
P800	44320	100	1/10	
P1000	48621	50	1/10	
 6" x 8 Hole	P60	48705	50	1/10
	P80	44406	100	1/10
	P100	44407	100	1/10
	P120	44408	100	1/10
	P150	44409	100	1/10
	P180	44410	100	1/10
	P220	44411	100	1/10
	P240	44414	100	1/10
	P320	44412	100	1/10
	P400	44417	100	1/10
P600	44419	100	1/10	
P800	44420	100	1/10	
 6" x 9 Hole <i>Fits Festool Rotex RO150E Sander</i>	P60*	49505	100	1/10
	P80	49506	100	1/10
	P100	49507	100	1/10
	P120	49508	100	1/10
	P150	49509	100	1/10
	P180	49510	100	1/10
	P220	49511	100	1/10
	P320	49512	100	1/10
	P400	49517	100	1/10
	P600	49519	100	1/10
P800	49520	100	1/10	
 8" x No Hole	P80	26706	50	1/8
	P100	26707	50	1/8
	P120	26708	50	1/8
	P150	26709	50	1/8
	P180	26710	50	1/8
	P220	26711	50	1/8
	P240	26714	50	1/8
	P320	26712	50	1/8
	P400	26717	50	1/8
	P600	26719	50	1/8

*Indicates non-stock item. Minimum order 30 boxes. 3 week lead time.

All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® AQUA-BLUE ECLIPSE® FILM DISCS – TYPE EFA™



STICK-ON DISCS FLAT PACK WITH LINER

Diameter	Grade	Micron	Part Number	Discs/Box	Boxes/Case
5"	P800	20u-22u	***05020	100	10
	P1200	15u	***05022	100	10
	P1500	12u-13u	***05024	100	10
6"	P800	20u-22u	05220	50	10
	P1200	15u	05222	50	10
	P1500	12u-13u	05224	50	10



HOOK & LOOP DISCS

Diameter	Grade	Micron	Part Number	Discs/Box	Boxes/Case
5"	P800	20u-22u	***05420	100	10
	P1200	15u	***05422	100	10
	P1500	12u-13u	***05424	100	10
6"	P800	20u-22u	05720	50	10
	P1200	15u	05722	50	10
	P1500	12u-13u	05724	50	10

SUNGOLD® SILICON CARBIDE STICK-ON (PSA) LINK DISCS

- Open coat along with special stearate coating minimizes loading
- Resin on resin bond offers extended disc life
- Silicon Carbide grain breaks down to create sharp points resulting in excellent finish & fast cutting action
- B weight paper
- Link discs – on a roll – no liner
- Discs are on a continuous roll with serrations for easy separation



APPLICATIONS

Wood, metal, plastic, fiberglass, paint, primer

ORDERING INFORMATION

Order by the number of rolls

Diameter	Grade	Part Number	Discs/Roll	Min./Case
5" x No Hole	P80*	21-05080	100	1/10
	P100	21-05100	100	1/10
	P120	21-05120	100	1/10
	P150*	21-05150	100	1/10
	P180*	21-05180	100	1/10
	P220	21-05220	100	1/10
6" x No Hole	P80	21-06080	100	1/10
	P100	21-06100	100	1/10
	P120**	21-06120	100	1/10
	P150**	21-06150	100	1/10
	P180	21-06180	100	1/10
	P220	21-06220	100	1/10

On a roll with full width liner. One roll per box.

ORDERING INFORMATION

Order by the number of rolls



Diameter	Grade	Part Number	Discs/Roll	Min./Case
5" x No Hole	P80	40006	125	1/8
	P100	40007	125	1/8
	P120	40008	125	1/8
	P150	40009	125	1/8
	P180	40010	250	1/4
	P220	40011	250	1/4
	P320	40012	250	1/4
	P400	40017	250	1/4
6" x No Hole	P80	40106	125	1/8
	P100	40107	125	1/8
	P120	40108	125	1/8
	P150	40109	125	1/8
	P180	40110	250	1/4
	P220	40111	250	1/4
	P320	40112	250	1/4
	P400	40117	250	1/4

*Indicates non-stock item. Minimum order 40 rolls. **Non-stock. Minimum order 33 rolls.

***Non-stock item. Minimum order 13 boxes. 3 week lead time on all non-stock items.

All other items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

**DELIVERY
INFORMATION**

SUNGOLD®
ABRASIVES USA, INC.

NEW! GOLD KASSTEEL® BY SUNGOLD®

STICK-ON SANDING DISCS LINK

DISCS – NO LINER

Diameter	Grade	Part Number	Paper Weight	Discs Per Roll	Rolls Per Case
5"	P80	16106	C	100	10
	P100	16107	C	100	10
	P120	16108	C	100	10
	P150	16109	C	100	10
	P180	16110	C	100	10
	P220	16111	C	100	10
	P320	16112	C	100	10
6"	P80	16506	C	100	10
	P100	16507	C	100	10
	P120	16508	C	100	10
	P150	16509	C	100	10
	P180	16510	C	100	10
	P220	16511	C	100	10
	P320	16512	C	100	10
	P400	16517	C	100	10



STICK-ON SANDING DISCS

FLAT PACK WITH LINER

Diameter	Grade	Part Number	Paper Weight	Discs Per Box	Boxes Per Case
5"	P80	16206	C	100	10
	P100	16207	C	100	10
	P120	16208	C	100	10
	P150	16209	C	100	10
	P180	16210	C	100	10
	P220	16211	C	100	10



Hook & Loop Discs

Diameter	Grade	Part Number	Paper Weight	Discs Per Box	Boxes Per Case
5" x No Hole	P80	24406	C	100	10
	P100	24407	C	100	10
	P120	24408	C	100	10
	P150	24409	C	100	10
	P180	24410	C	100	10
	P220	24411	C	100	10
	6" x No Hole	P80	24706	C	100
P100		24707	C	100	10
P120**		24708	C	100	10
P150		24709	C	100	10
P180		24710	C	100	10
P220		24711	C	100	10
P320		24712	C	100	10



** Non-stock items at the time of printing of this catalog. Please check to see if they are stocked at the time you order.

DISCS




SUNGOLD® F WEIGHT ANTI-STATIC PAPER DISCS

- Full resin on resin bond offers extended disc life
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Anti-static treatment prevents dust build up and enhances dust evacuation
- Heavy duty F weight paper backing to hold up under extreme conditions
- Medium coat is excellent for softwoods, hardwoods and metal

STICK-ON PSA DISCS

ORDERING INFORMATION

Order by the number of boxes

Diameter	Grade	Part Number	Discs/Box	Min./Case
Stick-On 5" x No Hole 	P40	32203	25	1/10
	P60	32205	25	1/10
	P80	418063	100	1/10
	P100	418070	100	1/10
	P120	418087	100	1/10
	P150	418094	100	1/10
	P180	418100	100	1/10
Stick-On 5" x 5 Hole 	P40	32303	25	1/10
	P60	32305	25	1/10
	P80	382067	100	1/10
	P100	382074	100	1/10
	P120	382081	100	1/10
	P150	382098	100	1/10
Stick-On 6" x No Hole 	P40	32403	25	1/10
	P60	412054	50	1/18
	P80	411064	100	1/12
	P100	411071	100	1/12
	P150	411088	100	1/12




HOOK & LOOP DISCS

- Discs have a heavy nap polyester loop for enhanced shear strength

ORDERING INFORMATION

Order by the number of discs

Diameter	Grade	Part Number	Discs/Box	Min. Discs/Case
Hook & Loop 5" No Hole 	P80	12-05080	50	50/500
	P100	12-05100	50	50/500
	P120	12-05120	50	50/500
	P150	12-05150	50	50/500
	P180	12-05180	50	50/500
	P220	12-05220	50	50/500



Diameter	Grade	Part Number	Discs/Box	Min./Case
5" x 5 Hole  Hook & Loop	P40	29403	25	1/10
	P60	364056	25	1/10
	P80	364063	25	1/10
	P100	364070	25	1/10
	P120	364087	25	1/10
	P150	364094	25	1/10
	P220	364117	25	1/10
5" x 8 Hole  Hook & Loop	P40	29503	25	1/10
	P60	362052	25	1/10
	P80	362069	25	1/10
	P100	362076	25	1/10
	P120	362083	25	1/10
	P150	362090	25	1/10
	P180	362106	25	1/10
6" x 6 Hole  Hook & Loop	P40	29803	25	1/10
	P60	365053	25	1/10
	P80	365060	25	1/10
	P100	365077	25	1/10
	P120	365084	25	1/10
	P150	365091	25	1/10
	P180	365107	25	1/10
6" x 9 Hole Fits Festool Rotex R0150E Sander  Hook & Loop	P60	40905	50	1/10
	P80	40906	50	1/10
	P100	40907	50	1/10
	P120	40908	50	1/10
	P150	40909	50	1/10
P180	40910	50	1/10	



DELIVERY INFORMATION

All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® CLOTH DISCS

ALUMINUM OXIDE – J WEIGHT CLOTH

- Medium open coat is excellent for softwoods, hardwoods and metal
- Full resin on resin bond offers extended disc life
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Flexible J weight backing to conform to all types of back-up pads
- Individual PSA discs with liner to protect from dust
- Easy pull tab for quick easy removal of liner even when wearing gloves

APPLICATIONS

All types of wood and metal sanding
Chairs, furniture, cabinets

ORDERING INFORMATION

Order by the number of boxes



Diameter	Grade	Part Number	Discs/Box	Min./Case
5" PSA Stick-On	P80	042060	100	1/10
	P100	042077	100	1/10
	P120	042084	100	1/10
	P150	042091	100	1/10
	P180	042107	100	1/10
5" Hook & Loop	P220	042114	100	1/10
	P60	268057	50	1/10
	P80	268064	50	1/10
6" PSA Stick-On	P120	268088	50	1/10
	P80 *	046068	100	1/10
	P100 *	046075	100	1/10
	P120 *	046082	100	1/10
	P150 *	046099	100	1/10
	P180 *	046105	100	1/10
	P220 *	046112	100	1/10

ALUMINUM OXIDE – STEARATED J WEIGHT CLOTH

- Zinc stearate coating reduces clogging on wood and heat build up on metal to extend disc life
- Flexible J weight backing to conform to all types of back-up pads
- Individual PSA discs with liner to protect from dust
- Easy pull tab for quick easy removal of liner even when wearing gloves

ORDERING INFORMATION

Order by the number of boxes



Diameter	Grade	Part Number	Discs/Box	Min./Case
5" PSA Stick-On	P80	110066	100	1/10
	P100	043074	100	1/10
	P120	043081	100	1/10
	P150	043098	100	1/10
	P180	043104	100	1/10
	P220	043111	100	1/10
	P240	110141	100	1/10
5" Hook & Loop	P320	110127	100	1/10
	P80 *	261065	50	1/10
	P100	261072	50	1/10
6" PSA Stick-On	P120	261089	50	1/10
	P80 *	113067	100	1/10
	P100 *	113074	100	1/10
	P120 *	113081	100	1/10
	P150 *	113098	100	1/10
	P220 *	113111	100	1/10

* Indicates non-stock item. Minimum order 12 boxes. 3 week lead time.

All other items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® BACK-UP PADS

APPLICATIONS

Type A

- Thicker, medium pad. Softer on the edges for use on contoured or concave surfaces
- Heavy duty riveted plastic hub and a urethane molded pad
- Can be used for full grit range. Best suited for 150 and finer
- 5/16-24 bolt for attachment to most popular tools
- For use on all dual action and random orbital tools, both air and electric

Type B

- Low profile pad. Firmer. Best suited for flat surfaces
- Heavy duty riveted composite fiberglass hub and a urethane molded pad
- Can be used for full grit range. Best suited for 120 and coarser
- 5/16-24 bolt for attachment to most popular tools
- For use on all dual action and random orbital tools, both air and electric

Type A



Type B



ORDERING INFORMATION

Order by the number of pads

FOR PSA (STICK-ON) DISCS

- Vinyl face provides excellent adhesion with quick and easy disc removal
- Lightweight pads reduce fatigue

Dia x Nbr of Vac Holes	Type	Part Number	Min./Case
5" x No Holes	A	20-70500	1/10
	B	20-70504	1/10
5" x 5 Holes	A	20-76500	1/10
6" x No Holes	A	20-70600	1/10
6" x 6 Holes	A	20-76600	1/10

FOR HOOK & LOOP DISCS

- Heavy duty Velcro hook provides sure grip and easy disc removal with loop backed discs
- Lightweight pad reduces fatigue

Dia x Nbr of Vac Holes	Type	Part Number	Min./Case
5" x No Holes	A	20-71500	1/10
5" x 5 Holes	A	20-79500	1/10
5" x 8 Holes	A	20-77500	1/10
6" x No Holes	A	20-71600	1/10
6" x 6 Holes	B	20-78602	1/10

FOR HAND SANDING

- Nylon strap firmly secures sanding pad to your hand
- Lightweight and soft material is comfortable to handle
- Flexible surface allows for contour work



Diameter		Part Number	Min./Case
<i>Ultra-thin 1/8" thick pad:</i>			
5"	For PSA Discs	20-70591	1/10
	For Hook & Loop Discs	20-71591	1/10
<i>Standard 3/8" thick pad:</i>			
5"	For PSA Discs	20-70595	1/10
	For Hook & Loop Discs	20-71595	1/10

HAND SANDING BLOCKS

Diameter	Part Number	Min./Case
Use with any 5" stick-on disc	98837	1/10
Use with 4-1/2" PSA rolls, shown on page 15	98855	1/10
Use with any 6" stick-on disc	98861	1/10
Use with any 5" stick-on disc	98863	1/10
Use with any 6" stick-on disc	98864	1/10
Use with any 5" hook & loop disc	98865	1/10
Use with any 6" hook & loop disc	98866	1/10



DELIVERY INFORMATION All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® STICK-ON CLOTH DISCS

ALUMINUM OXIDE – X WEIGHT CLOTH

- Durable X weight backing provides extra strength and durability
- For use on metal platen, stationary sanders
- Individual discs with liner to protect from dust
- Packed in convenient multi-disc packages



Diameter	Grade	Part Number	Discs/Pack	Min./Case
6"	P40	336039	10	1/30
	P50	336046	10	1/30
	P60	336053	10	1/30
	P80	336060	10	1/40
	P120	336084	10	1/40
	P150	336091	10	1/40
8"	P50	338040	10	1/40
	P60	338057	10	1/50
	P80	338064	10	1/50
	P120	338088	10	1/50
	P150	338095	10	1/50
9"	P50	339047	5	1/10
	P60	339054	5	1/20
	P80	339061	5	1/20
	P120	339085	5	1/20
	P150	339092	5	1/20
10"	P50	330044	5	1/20
	P60	330051	5	1/20
	P80	330068	5	1/20
12"	P50	332048	3	1/26
	P80	332062	3	1/30
	P120	332086	3	1/30
	P150	332093	3	1/35
	12"	P50	342047	10
P60		342054	10	1/5
P80		342061	10	1/5
P100		342078	10	1/5
P120		342085	10	1/5
P150		342092	10	1/5

SUNGOLD® BELTS

For stationary and bench-top sanders

ALUMINUM OXIDE – X WEIGHT CLOTH

- Medium open coat is excellent for softwood, hardwood, plastic and metal
- Taped butt joint allows belt to be run in either direction for quicker belt changes
- Heavy duty, X weight, tear resistant 65/35 polyester/cotton cloth backing

APPLICATIONS

Excellent for all types of materials including wood, metal, plastic and others

ORDERING INFORMATION

Order by the number of boxes

Diameter	Grade	Part Number	Belts/Box	Min./Boxes Case
1" x 30" X weight	P60	038056	10	1/20
	P80	038063	10	1/20
	P100	038070	10	1/20
	P120	038087	10	1/20
	P150	038094	10	1/20
	P220	038117	10	1/20
1" x 42" X weight	P60	039053	10	1/20
	P80	039060	10	1/20
	P100	039077	10	1/20
	P120	039084	10	1/20
	P220	039114	10	1/20
	Asst.	039138	10	1/20

ORDERING INFORMATION

Order by the number of belts

Diameter	Grade	Part Number	Belts/Sleeve	Min./Case
4" x 36" X weight	P40	4X36T40	10	10/50
	P50	4X36T50	10	10/50
	P60	4X36T60	10	10/50
	P80	4X36T80	10	10/50
	P100	4X36T100	10	10/50
	P120	4X36T120	10	10/50
	P150	4X36T150	10	10/50
	P24	6X48T24	10	10/20
	P36	6X48T36	10	10/20
	P40	6X48T40	10	10/20
6" x 48" X weight	P50	6X48T50	10	10/20
	P60	6X48T60	10	10/20
	P80	6X48T80	10	10/20
	P100	6X48T100	10	10/20
	P120	6X48T120	10	10/20
	P150	6X48T150	10	10/20
	P180	6X48T180	10	10/20
	P220	6X48T220	10	10/20

SUNGOLD® SANDING BELTS FOR PORTABLE BELT SANDERS

- Medium coat is excellent for softwoods, hardwoods and metals
- Heavy duty, tear resistant 65/35 polyester/cotton cloth backing
- Full resin on resin bond offers extended belt life and moisture resistance for storage and usage in humid climates
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Each nest of 5 or 10 belts is packed in a durable box

TYPE T = reversible wave-but joint

- Belts can be run in either direction
- Ultra-thin joints for a bump free finish
- Packed in multi-color box suitable for stacking or displaying on peg hook
- UPC bar coded

TYPE S = top skived lap joint



APPLICATIONS

Wood, metal, plastic, paint removal

ORDERING INFORMATION

Order Type T by the number of boxes

Order Type S by the number of belts

Assorted packs contain: 2-60x, 3-80x, 3-100x, 2-120x

W x L	Grade	Part Number	Box/Case/ Master Carton
3" x 18" Type T <small>UPC# is 756343 + part#</small>	P40	352039	10/50
	P50	352046	10/50
	P60	352053	10/50
	P80	352060	10/50
	P100	352077	10/50
	P120	352084	10/50
	Asst.	352138	10/50
3" x 21" Type S	P24	3x21s24	5/25
	P40	3x21s40	10/50/250
	P50	3x21s50	10/50/250
	P60	3x21s60	10/50/250
	P80	3x21s80	10/50/250
	P100	3x21s100	10/50/250
	P120	3x21s120	10/50/250
3" x 21" Type T <small>UPC# is 756343 + part#</small>	P36	001029	5/25
	P40	001036	10/50
	P50	001043	10/50
	P60	001050	10/50
	P80	001067	10/50
	P100	001074	10/50
	P120	001081	10/50
	P150	001098	10/50
	P180	001104	10/50
	P220	001111	10/50
	Asst.	001135	10/50
4" x 21" Type T <small>UPC# is 756343 + part#</small>	P50	018041	10/50
	P60	018058	10/50
	P80	018065	10/50
	P100	018072	10/50
	P120	018089	10/50
	P150	018096	10/50
	Asst.	018133	10/50

W x L	Grade	Part Number	Box/Case/ Master Carton
3" x 24" Type S	P40	3x24s40	10/50/250
	P50	3x24s50	10/50/250
	P60	3x24s60	10/50/250
	P80	3x24s80	10/50/250
	P100	3x24s100	10/50/250
	P120	3x24s120	10/50/250
	3" x 24" Type T <small>UPC# is 756343 + part#</small>	P36	002026
P40		002033	10/50
P50		002040	10/50
P60		002057	10/50
P80		002064	10/50
P100		002071	10/50
P120		002088	10/50
4" x 24" Type S	P150	002095	10/50
	P180	002101	10/50
	Asst.	002132	10/50
	P40	4x24s40	10/50/200
	P50	4x24s50	10/50/200
	P60	4x24s60	10/50/200
	P80	4x24s80	10/50/200
4" x 24" Type T <small>UPC# is 756343 + part#</small>	P100	4x24s100	10/50/200
	P120	4x24s120	10/50/200
	P36	003023	5/25
	P40	003030	10/50
	P50	003047	10/50
	P60	003054	10/50
	P80	003061	10/50
4" x 24" Type S	P100	003078	10/50
	P120	003085	10/50
	P150	003092	10/50
	P180	003108	10/50
	P220	003115	10/50
	Asst.	003139	10/50

DELIVERY INFORMATION

All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® EDGE SANDING BELTS

ALUMINUM OXIDE – POLYESTER/COTTON CLOTH

- Medium coat is excellent for softwood, hardwood, plastic and metal
- Taped butt joint allows belt to be run in either direction for quicker belt changes
- Full resin on resin bond offers extended belt life
- P-graded Premium Aluminum Oxide grain creates fast cutting action

X weight: Heavy duty, tear resistant
65/35 polyester/cotton cloth backing

J weight: Flexible, tear resistant cloth backing
provides flexibility for sanding contours

APPLICATIONS

Excellent for all types of materials including wood, metal, plastic and others

ORDERING INFORMATION

Order by the number of belts



SPECIAL SIZE BELTS

Any sizes or grits not listed can be made to order in our New York factory. Normal production time is 3 to 5 working days. For faster delivery, 24 hour manufacturing is available for a small fee.

BELTS

W x L	Grade	Part Number	Min./Case
2 1/4" x 80"	P80	2-1/4x80F80	25/25
	J weight P100	2-1/4x80F100	25/25
2 1/4" x 80"	P80	2-1/4x80T80	25/25
	X weight		
4" x 132"	P80	4x132F80	10/10
	J weight		
4" x 132"	P60	4x132T60	10/10
	P80	4x132T80	10/10
	X weight P100	4x132T100	10/10
	Fits Delta sander P120	4x132T120	10/10
	P150	4x132T150	10/10
6" X 80"	P36	6x80T36	10
	P60	6x80T60	10
	P80	6x80T80	10
	X weight P100	6x80T100	10
	P120	6x80T120	10
6" X 89"	P150	6x80T150	10
	P40	6x89T40	10/20
	P50	6x89T50	10/20
	P60	6x89T60	10
	P80	6x89T80	10
6" X 132"	X weight P100	6x89T100	10
	Fits Jet sander P120	6x89T120	10
	P150	6x89T150	10
	P220	6x89T220	10

W x L	Grade	Part Number	Min./Case
6" X 108"	P40	6x108T40	10
	P60	6x108T60	10
	P80	6x108T80	10
	X weight P100	6x108T100	10
	Fits Powermatic sander P120	6x108T120	10
6" X 123"	P150	6x108T150	10
	P180	6x108T180	10
	P40	6x123T40	10
	P60	6x123T60	10
	P80	6x123T80	10
6" X 132"	X weight P100	6x123T100	10
	P120	6x123T120	10
	P36	6x132T36	10
	P40	6x132T40	10
	P60	6x132T60	10
6" X 168"	P80	6x132T80	10
	X weight P100	6x132T100	10
	Fits Delta sander P120	6x132T120	10
	P150	6x132T150	10
	P180	6x132T180	10
6" X 168"	P60	6x168T60	10
	P80	6x168T80	10
	X weight P100	6x168T100	10
	P120	6x168T120	10

Any size and grit not listed can be made to order.

SUNGOLD® STROKE SANDING BELTS



- Any size and grit belt for any size stroke sander machine can be made to order from any of 9 different materials
- Belts are made to order in our New York factory
- Standard delivery time from order until shipping is 3-5 working days
- For faster delivery, 24 hour manufacturing is available for a small fee.

Available materials include;

Three different paper materials

Three different cloth materials for woodworking

Type X - X weight

Type Y - Y weight

Type J - J weight

Common sizes are: 6" x 220", 6" x 283", 6" x 288", 6" x 300", 6" x 306", 6" x 312", 6" x 315", 6" x 335", 6" x 360", 6" x 375", 7" x 300", and 7" x 335".

PUMP SANDER SLEEVES BELTS FOR INFLATABLE DRUM SANDER


- These are for use on inflatable sanders also known as pneumatic drum sanders or pump sanders
- Note: If you need a stiff sanding drum, that is like the core of a roll of paper towels, which are used on a hard rubber drum, you need the spiral bands on page 19
- Medium coat is excellent for softwoods and hardwoods
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Heavy duty, tear resistant cloth backing
- Flexible cloth backing can be used for fully or partially inflated drum
- Full resin on resin bond offers extended belt life
- Ultra-thin tape butt joint

APPLICATIONS

Wood parts and components

ORDERING INFORMATION

Order by the number of belts



Any size and grit not listed can be made to order.

Size	Grade	Part Number	Min./Case
9" wide x 7¹⁵/₃₂" long (2" Dia x 9" Wide)	P180	9x7FTTSF180	10/200
	P150	9x7FTTSF150	10/200
	P120	9x7FTTSF120	10/200
	P100	9x7FTTSF100	10/200
	P80	9x7FTTSF80	10/200
9" wide x 10³⁹/₆₄" long (3" Dia x 9" Wide)	P150	9x10TNSFF150	10/200
	P120	9x10TNSFF120	10/200
	P100	9x10TNSFF100	10/200
	P80	9x10TNSFF80	10/200
	P60	9x10TNSFF60	10/200
9" wide x 13³/₄" long (4" Dia x 9" Wide)	P220	9x13TQF220	10/20
	P180	9x13TQF180	10/20
	P150	9x13TQF150	10/20
	P120	9x13TQF120	10/20
	P100	9x13TQF100	10/20
	P80	9x13TQF80	10/20
	P60	9x13TQF60	10/20
9" wide x 20" long (6" Dia x 9" Wide)	P320	9x20F320	10/20
	P220	9x20F220	10/20
	P180	9x20F180	10/20
	P150	9x20F150	10/20
	P120	9x20F120	10/20
	P100	9x20F100	10/20
	P80	9x20F80	10/20
9" wide x 26⁵/₁₆" long (8" Dia x 9" Wide)	P60	9x20F60	10/20
	P220	9x26FSF220	10/20
	P180	9x26FSF180	10/20
	P150	9x26FSF150	10/20
	P120	9x26FSF120	10/20
	P100	9x26FSF100	10/20
	P80	9x26FSF80	10/20
P60	9x26FSF60	10/20	
P40	9x26FSF40	10/20	

SUNGOLD® WIDE BELTS –

Need a size not shown? Need something coarser?

Need something finer? Need paper belts?

Do you have a special application, such as stone, plastic etc?

NOT A PROBLEM.

- Belts as coarse as 24 grit or as fine as 600 grit, any length belt, and any width up to 54" wide can be made to order.
- Belts can be custom made from a choice of ten different materials for specific applications inc. Zirconia Cloth, A.O. Anti-static F wt Paper, Silicon Carbide Anti-static paper and many other materials.
- Belts shown below are stock items. Normal production time for belts made-to-order is 3 to 5 working days. For faster delivery, 24 hour manufacturing is available for a small fee.



X WEIGHT CLOTH

GENERAL PURPOSE

- Medium coat is excellent for softwoods, hardwoods and metals
- Heavy duty, tear resistant 65/35 polyester/cotton cloth backing
- Full resin on resin bond offers extended belt life and moisture resistance for storage and usage in humid climates
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Reversible tape butt joint
- Belts can be run in either direction
- Ultra-thin joints for a bump-free finish

APPLICATIONS

Wood, metal, all-around sanding

ORDERING INFORMATION

Order by the number of belts and note case quantities

W x L	Grade	Part Number	Min./Case
25" x 60"	P80	25X60KT80	3
	P100	25X60KT100	5
	P120	25X60KT120	5
37" x 60"	P60	37X60KT60	3
	P80	37X60KT80	3
	P100	37X60KT100	5
	P120	37X60KT120	5
	P150	37X60KT150	5
	P180	37X60KT180	5
37" x 75"	P220	37X60KT220	5
	P60	37X75KT60	3
	P80	37X75KT80	3
	P100	37X75KT100	5
	P120	37X75KT120	5
	P150	37X75KT150	5
43" x 60"	P180	37X75KT180	5
	P220	37X75KT220	5
43" x 60"	P80	43x60KT80	3
	P120	43x60KT120	5
43" x 75"	P80	43X75KT80	5
	P100	43X75KT100	5
	P120	43X75KT120	5

Y WEIGHT CLOTH

ALUMINUM OXIDE - WASHABLE

- Heavy duty Y weight polyester/cotton cloth is stronger than all cotton belts and won't stretch like all polyester belts
- Medium coat provides long life while reducing loading
- Full phenolic resin on resin bond provides excellent grain adhesion and extends belt life
- Belt can be cleaned, washed or submerged in water
- Taped butt joint allows belt to be run in either direction for quicker belt changes
- P-graded grain provides uniform grain sizing for consistent finish

APPLICATIONS

Softwoods such as pine, where loading is an issue and washing belts can extend life of belt
Stock removal where surface is uneven or may contain staples such as frame stock

ORDERING INFORMATION

Order by the number of belts in full case quantities

W x L	Grade	Part Number	Min./Case
16" x 48"	P80	16x48T80	3
	P100	16x48T100	5
	P120	16x48T120	5
	P150	16x48T150	5
24" x 84"	P80	24x84S80	3
	P100	24x84S100	5
25" x 60"	P80	25x60T80	3
	P100	25x60T100	5
	P120	25x60T120	5
36" x 103"	P40	36x103S40	3
	P60	36x103S60	3
	P180	36x103S180	5
37" x 60"	P60	37x60T60	3
	P80	37x60T80	3
	P100	37x60T100	5
	P120	37x60T120	5
	P150	37x60T150	5
	P180	37x60T180	5
	P220	37x60T220	5
37" x 75"	P60	37x75T60	3
	P80	37x75T80	3
	P100	37x75T100	5
37" x 75"	P120	37x75T120	5
	P150	37x75T150	5
	P180	37x75T180	5

BELTS

SUNGOLD® ROLLS WITH PSA BACKING



Use Premium Plus when you want more life.

Use SCB when you want a higher quality finish.

PREMIUM PLUS

- Zinc stearated coating reduces clogging and loading of paper which extends the life of the paper
- Strong and durable C weight paper backing will hold up under stress
- P-graded Aluminum Oxide cuts fast and lasts longer than Silicon Carbide
- Resin on resin bond holds up to heat of mechanical sanders to provide longer life than non-resin bond products

Size	Grade	Part Number	Min./Case
4 1/2" x 10 yards	P60	27205	1/10
	P80	27206	1/10
	P100	27207	1/10
	P120	27208	1/10
	P150	27209	1/10
	P180	27210	1/10
	P220	27211	1/10

APPLICATIONS

Hand sanding, half sheet and quarter sheet mechanical sanding. Wood, metal, plastic, fiberglass, sealer, primer and between coat sanding

ORDERING INFORMATION

Order by the number of rolls

For hand blocks see page 9.

SILICON CARBIDE TYPE SCB

- Zinc stearated coating reduces clogging and loading of paper for extended life
- A weight latex impregnated paper provides excellent grain adhesion
- P-graded Silicon Carbide grain breaks down to create sharp points to cut well through hard surfaces and produce a consistent finish

W x L	Grade	Part Number	Min./Case
4 1/2" x 10 yards	P80	22-45080	1/10
	P100	22-45100	1/10
	P120	22-45120	1/10
	P150	22-45150	1/10
	P180	22-45180	1/10
	P220	22-45220	1/10
	P320	22-45320	1/10

SUNGOLD® ABRASIVE ROLLS

ALUMINUM OXIDE – CLOTH

- Flexible J weight cloth allows roll to conform well
- Medium coat works well on both hardwoods and softwoods
- Full phenolic resin over resin bond provides excellent grain adhesion and holds up to high heat

APPLICATIONS

Wide drum sanders, mechanical sheet sanders.

ALUMINUM OXIDE – PAPER


- Heavy duty F weight paper backing provides excellent durability
- Medium coat works well on both hardwoods and softwoods
- Full resin over resin bond provides excellent grain adhesion and holds up to high heat

APPLICATIONS

Cylindrical drum sanders. Mechanical sheet sanders.

ORDERING INFORMATION FOR CLOTH OR PAPER

Order by the number of rolls.



W x L	Grade	Part Number	Min./Case
3" x 10 feet J weight Cloth	P80	3ACRF80-2	1/50
	P120	3ACRF120-2	1/50
	P150	3ACRF150-2	1/50
	P180	3ACRF180-2	1/50
	P220	3ACRF220-2	1/50
4-1/2" x 50 yards J weight Cloth	P80	4HACRF80	1/6
	P120	4HACRF120	1/6
	P150	4HACRF150	1/6
	P180	4HACRF180	1/6
	P220	4HACRF220	1/6
4-1/2" x 25 feet F weight Paper	P80	4HAPR80-1	1/6
	P180	4HAPR180-1	1/6

Any other size and grit roll can be made to order. There may be minimum quantities. Please inquire.

**SUNGOLD® PREMIUM PLUS
PAPER SHEETS**



- Our newest sheet that combines the best features of our white Silicon Carbide Non-Loading sheet and our brown Aluminum Oxide sheet
- Zinc stearated coating reduces clogging and loading of paper for extended sheet life
- C weight is durable, yet special additives in backing provide a highly flexible product and excellent grain adhesion
- Full resin on resin bond
- A premium P-graded Aluminum Oxide grain provides long life and a fast cut rate
- Fold ability makes this excellent for hand sanding
- Fast cut rate and long life makes this excellent for mechanical sanding
- Convenient package with hang tag allows product to be hung on a peg hook for display or storage

APPLICATIONS


Wood, solid surface materials, aluminum, metal, paint, primer, plastic, fiberglass, sealer, lacquer, between coats

ORDERING INFORMATION

Order by the number of packs. Each pack contains 25 sheets

W x L	Grade	Part Number	Min./Case
9" x 11"	P60	11105	1 / 10
	P80	11106	1 / 10
	P100	11107	1 / 10
	P120	11108	1 / 10
	P150	11109	1 / 10
	P180	11110	1 / 10
	P220	11111	1 / 10
	P240	11114	1 / 10
	P280	11115	1 / 10
	P320	11112	1 / 10
	P400	11117	1 / 10
	P600	11119	1 / 10
	P800	11120	1 / 10
P1000	11121	1 / 10	

SUNGOLD® CLOTH SHEETS



ALUMINUM OXIDE – TYPE SF

- Highly flexible J weight is better than full-flexed to provide extremely soft sheet for severe contours and intricate shapes
- P-graded Premium Aluminum Oxide grain provides excellent cutting and long life
- Full phenolic resin on resin bond provides excellent grain adhesion and extends life of sheet

APPLICATIONS

Sanding of wood and metal contours, shapes and intricate details

W x L	Grade	Part Number	Sleeve/Case
9" x 11" Type SF	P60	9X11SF60	50/500
	P80	9X11SF80	50/500
	P100	9X11SF100	50/500
	P120	9X11SF120	50/500
	P150	9X11SF150	50/500
	P180	9X11SF180	50/500
	P220	9X11SF220	50/500
	P240	9X11SF240	50/500
	P280	9X11SF280	50/500
	P320	9X11SF320	50/500
	P400	9X11SF400	50/500

SUNGOLD® PAPER SHEETS

SILICON CARBIDE NON-LOADING



- Zinc stearated coating reduces clogging and loading of paper for extended sheet life
- A weight latex impregnated paper provides highly flexible sheets and excellent grain adhesion, so paper can be bent, rolled or crumpled for desired use in flat or contour sanding
- P-graded Silicon Carbide grain breaks down and creates sharp points to cut well through hard surfaces and produce a consistent finish

APPLICATIONS

Lacquer, paint, primer, sealer, finishes between coats

ORDERING INFORMATION

Order by the number of sheets

W x L	Grade	Part Number	Sleeve (min.)/ Case
9" x 11"	P80	9X11SN80	100/1000
	P100	9X11SN100	100/1000
	P120	9X11SN120	100/1000
	P150	9X11SN150	100/1000
	P180	9X11SN180	100/1000
	P220	9X11SN220	100/1000
	P240	9X11SN240	100/1000
	P280	9X11SN280	100/1000
	P320	9X11SN320	100/1000
	P360	9X11SN360	100/1000
	P400	9X11SN400	100/1000
	P600	9X11SN600	100/1000

ALUMINUM OXIDE



- Unlike most Aluminum Oxide sheets, this product is a full resin on resin bond, which provides extended life on vibrating sanders and excellent grain adhesion
- Durable C weight paper
- Excellent for both hand and mechanical sanding

APPLICATIONS

Wood, metal, paint, primer, plastic, fiberglass

ORDERING INFORMATION

Order by the number of sheets

Assorted pack contains 20 each of following grits: 60, 80, 100, 120, 150


W x L	Grade	Part Number	Sleeve (min.)/ Case
9" x 11"	P40	9X11AP40	50/500
	P50	9X11AP50	50/500
	P60	9X11AP60	50/500
	P80	9X11AP80	50/600
	P100	9X11AP100	100/800
	P120	9X11AP120	100/800
	P150	9X11AP150	100/1000
	P180	9X11AP180	100/1000
	P220	9X11AP220	100/1000
	P240	9X11AP240	100/1000
	Asst.	9X11AP-A	100/1000

DELIVERY INFORMATION

All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.

SUNGOLD® SANDING SPONGES

- Available in three different densities and thicknesses to cover a variety of applications, such as sanding into corners, flat sanding and contour sanding
- Can be rinsed clean and used again



ABRASIVE SANDING BLOCKS

Stiff sponge for flat surfaces and sanding into corners

APPLICATIONS

Drywall, plaster, wood, metal, paint, fiberglass surfaces

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE: 4 sides – Aluminum Oxide

W x L x Thickness	Grade Grit	Part Number	Min./Case
3 3/4" x 2 5/8" x 1"	Coarse 60	800059	25/250
	Medium 80	800066	25/250
	Fine 100	800073	25/250
	Superfine 180	800103	25/250

FLEXIBLE SANDING PADS

Flexible sponge with a soft foam base

APPLICATIONS

Furniture, cabinetry and autobody repair
Used on wood, metal, paint, plastics

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE: 2 sides – Silicon Carbide

W x L x Thickness	Grade Grit	Part Number	Min./Case
4 3/4" x 3 3/4" x 1/2"	Medium 60	802053	25/250
	Fine 100	802077	25/250
	Very Fine 150	802091	25/250
	Superfine 180	802107	25/250
	Superfine Plus 220	802114	25/250

VERY FLEXIBLE SANDING PADS

Very flexible sponge. Grain on 3 sides, allowing access into corners while providing very flexible pad.

APPLICATIONS

Furniture, cabinetry.

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE: 3 sides



W x L x Thickness	Grade Grit	Part Number	Min./Case
3-3/4" x 2-5/8" x 1/2"	Medium 60	802466	25/500
	Fine 100	802459	25/500

ABRASIVE HI-FLEX PADS

Maximum flexibility for contours and hard to reach areas

APPLICATIONS

Woodworking, cabinetry, and autobody repair for sanding the most awkward shapes
Used on wood, metal, painted surfaces

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE: 1 side. 280 Silicon Carbide, all other grits white Aluminum Oxide.

W x L x Thickness	Grade Grit	Part Number	Min./Case
5 1/2" x 4 1/2" x 3/16"	Medium 60	801056	25/100
	Fine 100	801070	25/100
	Very Fine 180	801100	25/100
	Superfine Plus 220	801117	25/100
	Microfine 280	801155	25/100

SUN BRITE® HAND PADS

- Excellent for hand finishing
- Flexible
- Waterproof and washable

APPLICATIONS


Cleaning, wood finishing, paint preparation, sealer scuffing, denibbing coatings, defuzzing white wood, scuffing between coats, rust removal, metal finishing.

ORDERING INFORMATION

Order by the number of pads
 Minimum of any item is 20 pads
 Orders must be placed in multiples of 20 pads

***Handpads do not cut, but this is the equivalent finish that would be achieved compared to sandpaper**

Part Number		Equivalent Finish*
30-69035	More Aggressive Rougher Finish	150-180
30-69050		150-180
30-69040		240
30-69020	Less Aggressive Finer Finish	240-280
30-69005		280-320
30-69010		800-1000
30-69025		1000
30-69015		no abrasive



W x L	Color	Grade	Part Number	Box/Case
6" x 9"	Maroon	A VFN	30-69005	20/60
	Gray	S ULF	30-69010	20/60
	White	-----	30-69015	20/60
	Green	A GP	30-69020	20/60
	Gray	S ULF	30-69025	20/60
	Tan	Extra-Cut	30-69035	20/40
	Maroon	A FINE	30-69040	20/60
	Black	S MED	30-69050	20/40

Cross Reference Chart

SUNGOLD	3M	NORTON
30-69005	7447	747 or 777
30-69010	6448	635 Ultra Fine
30-69015	7445	456 Light Duty
30-69020	7496	796
30-69025	7448	748 Ultra Fine
30-69035	7440	740
30-69040	6444	
30-69050	7446	746

SUNGOLD® CLEANING STICKS

- Rubber material removes particles from belts to renew belt life
- No harsh smell



ORDERING INFORMATION

Order by the number of sticks

W x H x L	Part Number	Min./Case
1 1/2" x 1 1/2" x 8"	20-99005	1/80
2" x 2" x 12"	20-99003	1/32

SUNGOLD® SPIRAL BANDS

For oscillating vertical spindle sanders

Available in a full range of sizes and grits

ALUMINUM OXIDE



SUNGOLD® RUBBER DRUMS



DELIVERY INFORMATION All items on this page are stock items. Typical time from order to shipment for stock items is 24 hours for UPS shipments and 24-48 hours for common carrier shipments.



74 1

PRECISION PERFORMANCE EVERY TIME

With over three decades of expertise, Sungold provides outstanding abrasive solutions crafted for a full range of applications and industries. This catalog is for woodworking. Call us to inquire about other products for applications such as automotive, glass, stone and metal finishing.

Contact Us Today!

Phone: 1-516-484-5145 • Toll Free: 1-800-726-3004

Fax: 1-516-484-5108 • Fax Order: 1-516-484-4406

Visit our website: www.sungoldabrasives.com

Contact us by email: sungold@sungoldabrasives.com

Important Notice to Purchaser

Terms and Conditions of Sale; Product Selection Your placement with Sungold Abrasives of an order for products constitutes your acceptance of Sungold's offer of sale and your agreement to these terms and conditions of sale. These terms and conditions shall be governed by the laws of New York (without reference to choice of law principles) and may not be changed except by Sungold's express written agreement. Notwithstanding any oral or written information, opinions, catalog descriptions or advice furnished by Sungold or its employees at any time, you, the Buyer, have sole responsibility to evaluate and test Sungold's products so you can select those that are suitable for use in your specific applications.

Limited Warranty and Remedy If products shipped do not conform to your specifications, or if, after use by you, the original Buyer, the products prove to be defective, Sungold will, as the **exclusive remedy**, at Sungold's option, either replace the non-conforming or defective products or issue a credit at their net invoice price. This limited warranty **shall not apply** if (a) we do not receive written notice of the non-conformity or defect from you within **15 days** after you receive the products, (b) you do not return the non-conforming or defective products to us in their original packaging within **20 days** after you receive the products or (c) the products are custom-made for you or are other special products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED AND STATUTORY, INCLUDING (WITHOUT LIMITATION) THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTIES ARISING OUT OF COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

Limitation of Liability; Release Except to the extent of the Limited Warranty and Remedy above, Sungold is not and shall not be liable to you for any claims, liabilities or damages of any kind whatsoever (including without limitation direct, indirect, compensatory, special, consequential, incidental or punitive damages) arising out of Sungold's provision of products to you. *By purchasing products from Sungold, you expressly release Sungold from all such claims, liabilities and damages.*

Errors; Photo & Color Disclaimer Sungold reserves the right to correct any clerical or typographical errors in this Catalog at any time. Product photographs and color shown herein are rendered as accurately as printing processes permit. While we have made every attempt to accurately portray each product, Sungold disclaims any liability for variations in photographic accuracy or color as compared to the actual product.

SUNGOLD®
ABRASIVES USA, INC.

Corporate Headquarters:

4 Harbor Park Drive

Port Washington, NY 11050

GABINET MAKERS CATALOG 2008/09