



FEBRURARY, 2004 The Perfect Start to the Perfect Finish™

Performance Matters. Sungold® Delivers.

Sungold® manufactures a complete line of sanding products for all types of applications. If you do not see what you are looking for, please contact Sungold at info@sungoldabrasives.com or call 1-800-726-3004.

This catalog contains the various sanding items that were carried by Woodworker's Warehouse. Both Sungold's part number and Woodworker's part number are shown. We have also expanded the items beyond what Woodworker's carried to include items that are frequently requested. If you do not see what you need, please contact us at **info@sungoldabrasives.com**. When looking at the PDF in Acrobat, hit Ctl-F to search for a particular part number.

SHIPPING INFORMATION:

Contiguous U.S. shipping rates via UPS

Order V	Price		
\$0.01	to	\$40.00	\$ 6.95
\$40.01	to	\$60.00	\$ 7.95
\$60.01	to	\$80.00	\$ 8.95
\$80.01	to	\$100.00	\$ 9.95
\$100.01	to	\$200.00	\$ 10.95
\$200.01	&	over	\$ 12.95

Contiguous U.S. shipping rates via UPS

Add following to above shipping rates:

2nd Day Air Add \$12.95 Next Day Air Add \$20.95

TO ORDER:

Call 1-800-726-3004 or email your order to orders@sungoldabrasives.com

For Delivery Time, Payment Options, Return Policy and 100% Satisfaction Guarantee go to www.sungoldabrasives.com/retail-terms












TABLE OF CONTENTS

Stick-On Discs

	5" x No Hole, 5" x 5 Hole, 6" x No Hole, 6" x 6 Hole
	Medium weight paper – 80 through 320 grit
	Heavy weight paper – 60 grit
	Heavy duty cloth for table top sanders
	Back-up Pads
Hook a	& Loop Discs
	5" x 5 Hole, 6" x 6 Hole
	Medium weight paper – 80 through 1000 grit
	Heavy weight paper – 60 through 220 grit
	Back-up Pads
Sandir	ng Belts
	For portable belt sanders;
	2-1/2x16,3x18,3x21,3x23-3/4,3x24,4x21,4x24
	For table top sanders; 1x30, 1x42, 4x36, 6x48
	For stationary sanders; 2-1/4x80, 4x132, 6x80, 6x89
9" x 11	" Sanding Sheets
	Silicon Carbide Non-Loading – 80 through 600 grit
	Aluminum Oxide Paper – 40 through 220 grit
	Silicon Carbide Waterproof Paper – 80 through 2000 gritPage 15
	Aluminum Oxide Premium Plus – 80 through 1000 grit
Miscel	laneous
	Cleaning Sticks
	Contour Wheels
	Stick-on sanding angles
	Sanding Sponges
	Sunbrite® Handpads
	Spiral bands for spindle sanders
	4-1/2" stick-on rolls



SUNGOLD® SILICON CARBIDE PSA DISCS

TYPE SCB

- · Open coat along with special stearate coating minimizes loading
- Resin on resin bond offers extended disc life
- Silicon Carbide grain breaks down to create sharp points resulting in excellent finish and fast cutting action
- B weight paper
- Individual discs with liner to protect from dust
- Easy pull tab for quick easy removal of liner even when wearing gloves



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	190068	50	AD50	12.99
	P100	190075	50	AD51	12.99
	P120	190082	50	AD52	12.99
	P150	190099	50	AD53	12.99
5" x No Hole Type SCB	P180	190105	50	AD58	12.99
	P220	190112	50	AD54	12.99
	P320	190129	50	AD55	12.99
	Asst.	19-05999	100	AD8KT	24.95



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	19406	50	AD40	12.99
	P100	19407	50	AD41	12.99
	P120	19408	50	AD42	12.99
	P150	19409	50	AD43	12.99
	P180	19410	50	AD48	12.99
5" x 5 Hole	P220	19411	50	AD44	12.99
Type SCB	P320	19412	50	AD45	12.99
	Asst.	29-05999	100	AD5KT	24.95

APPLICATIONS

Wood, metal, plastic, fiberglass, paint, primer

ORDERING INFORMATION

Order by the number of boxes.

Assorted packs contain: 20 each of 80, 100, 120, 150 and 220 grits. Assorted packs are not in display boxes.



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	191065	50	AD60	14.99
	P100	191072	50	AD61	14.99
	P120	191089	50	AD62	14.99
	P150	191096	50	AD63	14.99
/II v Na Hala	P220	191119	50	AD64	14.99
6" x No Hole	P320	191126	50	AD65	14.99
Type SCB	Asst.	19-06999	100	AD6KT	33.98



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	29-06080	50	AD70	14.99
	P100	29-06100	50	AD71	14.99
	P120	29-06120	50	AD72	14.99
	P150	29-06150	50	AD73	14.99
	P180	29-06180	50	AD78	14.99
	P220	29-06220	50	AD74	14.99
6" x 6 Hole	P320	29-06320	50	AD75	14.99
Type SCB	Asst.	29-06999	100	AD7KT	33.98

SUNGOLD® PREMIUM PLUS HOOK & LOOP DISCS

- Open coat along with stearate coating minimizes loading and heat build up
- Strong C weight paper backing provides durability
- Resin on resin bond offers extended disc life and water resistance
- P-graded Premium Aluminum Oxide grain creates fast cutting action

APPLICATIONS

Wood, metal, plastic, fiberglass, paint, primer, solid surfaces

ORDERING INFORMATION

Order by the number of boxes



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	023069	25	AD90	9.99
	P100	023076	25	AD91	9.99
	P120	023083	25	AD92	9.99
	P150	023090	25	AD93	9.99
	P180	023106	25	AD94	9.99
	P220	023113	25	AD95	9.99
5" x 5 Hole	P320	023120	25	AD98	9.99
o x o Hole	P800	023205	25	_	9.99
	P1000	023212	25	_	9.99



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
	P80	028064	25	AD20	12.99
	P100	028071	25	AD21	12.99
	P120	028088	25	AD22	12.99
	P150	028095	25	AD23	12.99
	P180	028101	25	AD28	12.99
	P220	028118	25	AD24	12.99
6" x 6 Hole	P320	028125	25	AD25	12.99
	P800	028200	25	_	12.99
	P1000	028217	25	_	12.99

SUNGOLD® F WEIGHT ANTI-STATIC PAPER DISCS

- Full resin on resin bond offers extended disc life
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Anti-static treatment prevents dust build up and enhances dust evacuation
- Heavy duty F weight paper backing to hold up under extreme conditions
- Medium open coat is excellent for softwoods, hardwoods and metal

STICK-ON PSA DISCS

- Individual discs with liner to protect from dust
- Easy pull tab for quick easy removal of liner even when wearing gloves

APPLICATIONS

Wood, metal, floors, steps, paint removal

ORDERING INFORMATION

Order by the number of boxes



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
5" x No Hole	P60	32205	25	AD59	10.95



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
5" x 5 Hole	P60	32305	25	AD49	10.95



Diameter	Grade	Part Number	Discs/ Box	WW Part #	Price Per Box
6" x 6 Hole	P60	32505	25	AD77	14.95

HOOK & LOOP DISCS

 Discs have a heavy nap polyester loop for enhanced sheer strength

APPLICATIONS

Wood, metal, floors, steps, paint removal

ORDERING INFORMATION

Order by the number of boxes





Diameter	Grade	Part Number	Discs/ Box	WW Price #	Price Per Box
	P60	364056	25	AD97	12.99
5" x 5 Hole	P80	364063	25	_	12.99
	P100	364070	25	_	12.99
	P120	364087	25	_	12.99
	P150	364094	25	_	12.99
	P220	364117	25	_	12.99
	P60	362052	25	AD32	12.99
5" x 8 Hole	P80	362069	25	AD34	12.99
	P100	362076	25	AD35	12.99
	P120	362083	25	AD36	12.99
	P150	362090	25	AD37	12.99
	P180	362106	25	AD38	12.99
	P220	362113	25	AD39	12.99
6" x 6 Hole	P60	365053	25	AD27	19.95

SUNGOLD® STICK-ON CLOTH DISCS

ALUMINUM OXIDE -X WEIGHT CLOTH

- Durable X weight backing provides extra strength and durability
- For use on metal platen, stationary sandersIndividual discs with liner to protect from dust
- Packed in convenient multi-disc packages

ORDERING INFORMATION

Order by the number of packs

Diameter	Grade	Part Number	Discs/ Pack	WW Part #	Price Per Pack
	P40	336039	10	_	11.99
6"	P50	336046	10	ND6050D	11.99
•	P60	336053	10	_	11.99
	P80	336060	10	ND6080D	11.99
	P120	336084	10	ND6120D	11.99
	P150	336091	10	ND6150D	11.99
8"	P50	338040	10	ND8050D	16.99
U	P60	338057	10	_	16.99
	P80	338064	10	ND8080D	16.99
	P120	338088	10	ND8120D	16.99
	P150	338095	10	ND8150D	16.99
9"	P50	339047	5	ND9050D	14.99
9	P60	339054	5	_	14.99
	P80	339061	5	ND9080D	14.99
	P120	339085	5	ND9120D	14.99
	P150	339092	5	ND9150D	14.99
10"	P50	330044	5	_	15.99
10	P60	330051	5	_	15.99
	P80	330068	5	_	15.99
	P50	332048	3	ND12050D	15.99
12"	P80	332062	3	ND12080D	15.99
14	P120	332086	3	ND12120D	15.99
	P150	332093	3	ND12150D	15.99
	P220	332116	3	_	15.99



SUNGOLD® BACK-UP PADS FOR PSA (STICK-ON) DISCS

- Vinyl face provides excellent adhesion with quick and easy disc removal
- · Lightweight pads reduce fatigue

APPLICATIONS

Type A

- Thicker, medium pad. Softer on the edges for use on contoured or concave surfaces
- · Can be used for full grit range. Best suited for 150 and finer
- 5/16-24 bolt for attachment to most popular tools
- · For use on all dual action and random orbital tools, both air and electric

Type A

Type B

- · Low profile pad. Firmer. Best suited for flat surfaces
- · Can be used for full grit range. Best suited for 120 and coarser
- 5/16-24 bolt for attachment to most popular tools
- For use on all dual action and random orbital tools, both air and electric



Type C

- Step on edge of pad. More flexible than Type A
- Use this pad when you want additional flexibility on the edges compared to Type A pads
- 5/16-24 bolt for attachment to most popular tools
- For use on all dual action and random orbital tools, both air and electric



Type D

- Firm sanding pad made from molded urethane
- 5/8-11 female thread for use on all standard right angle sanders




Type E

- Medium sanding pad multi purpose for flat or curved surfaces
- 5/8x11 female thread for use on all standard right angle sanders



SUNGOLD ® BACK-UP PADS



FOR PSA (STICK-ON) DISCS

- · Vinyl face provides excellent adhesion with quick and easy disc removal
- Lightweight pads reduce fatigue

APPLICATIONS

For use with discs shown on pages 4 through 8

ORDERING INFORMATION

Order by the number of pads

Dia x Nbr of Vac Holes	Туре	Part Number	Price Per Pad
5" x No Holes	A B	20-70500 20-70504	15.95 15.95
5" x 5 Holes	C A	20-70507 20-76500	15.95 16.95
6" x No Holes	А	20-70600	16.95
7" x No Holes	D	20-70741	23.95
8" x No Holes	Е	20-70840	25.95



FOR HOOK & LOOP DISCS

- · Heavy duty Velcro hook provides sure grip and easy disc removal with loop backed discs
- Lightweight pad reduces fatigue

APPLICATIONS

For use with discs shown on pages 4 through 8

ORDERING INFORMATION

Order by the number of pads

Dia x Nbr of Vac Holes	Туре	Part Number	Price Per Pad
5" x No Holes	А	20-71500	19.95
6" x No Holes	Α	20-70600	21.95
8" x No Holes	E	20-71840	28.95

FOR HAND SANDING WITH PSA (STICK-ON) DISCS

- Nylon strap firmly secures sanding pad to your hand
- Lightweight and soft material is comfortable to handle
- Flexible surface allows for contour work

		C			

For use with any 5" sanding discs. One type for psa discs and one type for hook & loop

ORDERING INFORMATION

Order by the number of pads

Diameter	Part Number	List Price Per Pad				
Ultra-thin 1/8" thick pad. For use with 'hook and loop' discs.						
5"	20-70591	6.95				
Standard 3/8" t For use with 's						
5"	20-70595	5.95				



SUNGOLD® SANDING BELTS FOR PORTABLE BELT SANDERS

- Medium open coat is excellent for softwoods, hardwoods and metals
- Heavy duty, tear resistant 65/35 polyester/cotton cloth backing
- Full resin on resin bond offers extended belt life and moisture resistance for storage and usage in humid climates
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Each nest of 5 or 10 belts is packed in a durable box
- Reversible wave-butt joint
 - Belts can be run in either direction
 - Ultra-thin joints for a bump free finish



APPLICATIONS

Wood, metal, plastic, paint removal

ORDERING INFORMATION

Order by the number of boxes Assorted packs contain: 2-60x, 3-80x, 3-100x, 2-120x



SUNGOLD® SANDING BELTS FOR PORTABLE BELT SANDERS (CONT.)

WxL	Grade	Part Number	WW Part #	Price per Box of 10 Belts
	P50	035048	SG18	7.99
	P60	035055	SG17	7.99
2½" x 16"	P80	035062	SG16	7.99
	P100	035079	SG15	7.99
	P120	035086	SG14	7.99
	Asst.	035130	SG90	8.99
	P36	352022	_	13.95
	P40	352039	_	13.95
	P50	352046	SG28	13.95
3" x 18"	P60	352053	SG27	13.95
	P80	352060	SG26	13.95
	P100	352077	SG25	13.95
	P120	352084	SG24	13.95
	Asst.	352138	SG91	13.95
	P36	001029	_	14.95
	P40	001036	SG39	14.95
	P50	001043	SG38	14.95
	P60	001050	SG37	14.95
3" x 21"	P80	001067	SG36	14.95
	P100	001074	SG35	14.95
	P120	001081	SG34	14.95
	P150	001098	SG33	14.95
	P180	001104	_	14.95
	P220	001111	_	14.95
	Asst.	001135	SG92	15.95
	P24	3x23-3/4s24	_	20.50
	P36	3x23-3/4s36	_	20.50
3" x 23 ³ / ₄ "	P40	3x23-3/4s40	_	20.50
	P60	3x23-3/4s60	_	20.50
	P100	3x23-3/4s100	_	20.50
	P150	3x23-3/4s150	_	20.50

WxL	Grade	Part Number	WW Part #	Price per Box of 10 Belts
	P36	002026	_	15.99
3" x 24"	P40	002033	SG49	15.99
	P50	002040	SG48	15.99
	P60	002057	SG47	15.99
	P80	002064	SG46	15.99
	P100	002071	SG45	15.99
	P120	002088	SG44	15.99
	P150	002095	SG43	13.99
	P180	002101	SG42	13.99
	P220	002118	SG41	13.99
	Asst.	002132	SG93	16.99
	P50	018041	_	16.99
4" x 21"	P60	018058	SG85	16.99
	P80	018065	SG84	16.99
	P100	018072	SG83	16.99
	P120	018089	SG82	16.99
	P150	018096	SG81	16.99
	Asst.	018133	SG94	16.99
411 040411	P36	4x21TQS36	_	25.10
4" x 21¾"	P40	4x21TQS40	_	25.10
	P60	4x21TQS60	_	25.10
	P100	4x21TQS100	_	25.10
	P120	4x21TQS120	_	25.10
	P40	003030	SG59	19.99
	P50	003047	SG58	19.99
4" x 24"	P60	003054	SG57	19.99
	P80	003061	SG56	19.99
	P100	003078	SG55	19.99
	P120	003085	SG54	19.99
	P150	003092	_	19.99
	P180	003108	_	19.99
	Asst.	003139	SG95	22.99

SUNGOLD® BELTS For stationary and bench-top sanders

ALUMINUM OXIDE -X WEIGHT CLOTH

- Medium open coat is excellent for softwood, hardwood, plastic and metal
- Taped butt joint allows belt to be run in either direction for quicker belt changes
- Heavy duty, X weight, tear resistant 65/35 polyester/cotton cloth backing

APPLICATIONS

Excellent for all types of materials including wood, metal, plastic and others



ORDERING INFORMATION

Order by the number of boxes Assorted packs contain: 2-60x, 2-80x, 2-100x, 2-120x, 2-220x

WxL	Grade	Part Number	Belts/ Box	WW Part #	Price per Pkg of 10 Belts
	P60	038056	10	NDR11	9.99
	P80	038063	10	NDR12	9.99
1" x 30"	P100	038070	10	NDR13	9.99
X weight	P120	038087	10	NDR14	9.99
	P150	038094	10	NDR15	9.99
	P220	038117	10	NDR16	9.99
	P60	039053	10	SG12	12.99
	P80	039060	10	SG11	12.99
1" x 42"	P100	039077	10	SG10	8.99
X weight	P120	039084	10	SG9	8.99
	P220	039114	10	SG8	7.99
	Asst.	039138	10	SG13	9.99

- Full resin on resin bond offers extended belt life
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- 1 x 30 and 1 x 42 belt package can be hung on peg board for easier locating in tool room



ORDERING INFORMATION

Order by the number of belts

		Number	Sleeve	Part #	of 10 Belts
	P40	350035	10	SG69	19.95
411 0711	P60	350059	10	SG67	19.95
4" x 36"	P80	350066	10	SG66	19.95
X weight	P100	350073	10	SG65	19.95
	P120	350080	10	SG64	19.95
	Asst.	350134	10	SG96	22.95
W x L	Grade	Part Number	Sleeve	WW Part #	Price per Belt
	P40	4X36T40	1	SG69EA	3.99
4" x 36"	P60	4X36T60	1	SG67EA	3.99
X weight	P80	4X36T80	1	SG66EA	3.99
n weight	P100	4X36T100) 1	SG65EA	3.99
	P120	4X36T120) 1	SG64EA	3.99
	P24	6X48T24	1	_	7.99
	P36	6X48T36	1	SG76	7.99
6" x 48"	P40	6X48T40	1	SG79	7.99
X weight	P50	6X48T50	1	SG78	7.99
	P60	6X48T60	1	SG77	7.99
	P80	6X48T80	1	SG76	7.99
	P100	6X48T100) 1	SG75	7.99
	P120	6X48T120) 1	SG74	7.99
	P150	6X48T150) 1	SG73	6.99
	P180	6X48T180) 1	_	6.99
	P220	6X48T220) 1		6.99

SUNGOLD® BELTS
For edge, backstand and stationary sanders

ALUMINUM OXIDE -POLYESTER/COTTON CLOTH

- Medium open coat is excellent for softwood, hardwood, plastic and metal
- Taped butt joint allows belt to be run in either direction for quicker belt changes
- Full resin on resin bond offers extended belt life
- P-graded Premium Aluminum Oxide grain creates fast cutting action

X weight: Heavy duty, tear resistant 65/35 polyester/cotton cloth backing

J weight: Flexible, tear resistant 65/35

polyester/cotton cloth backing provides flexibility

for sanding contours



Excellent for all types of materials including wood, metal, plastic and others

ORDERING INFORMATION

Order by the number of belts

2¹/4" x 80" P80 2-1/4x80F80 2.95 J weight P100 2-1/4x80F100 2.95 2¹/4" x 80" P80 2-1/4x80T80 2.95 X weight P80 4x132F80 7.95 J weight P60 4x132T60 7.95 Y weight P100 4x132T80 7.95 X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P36 6x80T36 7.95 P50 6x80T60 7.95 P60 6x80T80 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x89T50 7.95 P50 6x89T60 7.95 P80 6x89T80 7.95 P80 6x89T100 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95 <	W x L	Grade	Part Number	Price Per Belt
2¹/₄" x 80" X weight P80 2-1/4x80T80 2.95 X weight P80 4x132F80 7.95 J weight P60 4x132T60 7.95 Y x 132" P80 4x132T80 7.95 X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P60 6x80T36 7.95 P60 6x80T60 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P50 6x89T40 7.95 P50 6x89T50 7.95 X weight P60 6x89T60 7.95 X weight P100 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95 P150 6x89T150 7.95				
X weight 4" x 132" P80 4x132F80 7.95 J weight P60 4x132T60 7.95 4" x 132" P80 4x132T80 7.95 X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P36 6x80T36 7.95 P60 6x80T60 7.95 P60 6x80T60 7.95 X weight P100 6x80T100 7.95 P150 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 P60 6x89T60 7.95 P750 6x89T60 7.95 P750 6x89T60 7.95 P750 6x89T60 7.95 P750 6x89T60 7.95 P80 6x89T80 7.95 P80 6x89T80 7.95 Fits Jet sander P120 6x89T100 7.95 P150 6x89T150 7.95	J weight	P100	2-1/4x80F100	2.95
4" x 132" P80 4x132F80 7.95 J weight P60 4x132T60 7.95 4" x 132" P80 4x132T80 7.95 X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P60 6x80T36 7.95 P60 6x80T60 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P50 6x89T40 7.95 P50 6x89T50 7.95 Meight P60 6x89T60 7.95 P80 6x89T80 7.95 P80 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95 P150 6x89T150 7.95		P80	2-1/4x80T80	2.95
4" x 132" P80 4x132T80 7.95 X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P36 6x80T36 7.95 P60 6x80T60 7.95 P80 6x80T80 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P50 6x89T40 7.95 P50 6x89T50 7.95 A weight P60 6x89T60 7.95 P80 6x89T80 7.95 Fits Jet sander P120 6x89T100 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95	4" x 132"	P80	4x132F80	7.95
X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P36 6x80T36 7.95 P60 6x80T60 7.95 X weight P100 6x80T80 7.95 P120 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 A weight P60 6x89T60 7.95 P80 6x89T80 7.95 Fits Jet sander P120 6x89T100 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95		P60	4x132T60	7.95
X weight P100 4x132T100 7.95 Fits Delta sander P120 4x132T120 7.95 P150 4x132T150 7.95 P36 6x80T36 7.95 P60 6x80T60 7.95 X weight P80 6x80T80 7.95 P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P50 6x89T40 7.95 P50 6x89T50 7.95 A weight P60 6x89T60 7.95 P80 6x89T80 7.95 Fits Jet sander P100 6x89T100 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95	Δ" x 132"	P80	4x132T80	7.95
Fits Delta sander P120		P100	4x132T100	7.95
P150 4x132T150 7.95 P36 6x80T36 7.95 P60 6x80T60 7.95 6" X 80" P80 6x80T80 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 P60 6x89T60 7.95 X weight P100 6x89T80 7.95 P80 6x89T80 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95	•	P120	4x132T120	7.95
6" X 80" P60 6x80T60 7.95 X weight P80 6x80T80 7.95 P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P50 6x89T40 7.95 P50 6x89T50 7.95 X weight P60 6x89T60 7.95 P80 6x89T80 7.95 P100 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95	Tits Delta salidel	P150	4x132T150	7.95
6" X 80" P80 6x80T80 7.95 X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 A weight P60 6x89T60 7.95 P80 6x89T80 7.95 P100 6x89T100 7.95 P120 6x89T120 7.95 P150 6x89T150 7.95		P36	6x80T36	7.95
X weight P100 6x80T100 7.95 P120 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 P60 6x89T60 7.95 X weight P100 6x89T60 7.95 P100 6x89T100 7.95 P100 6x89T100 7.95 P120 6x89T100 7.95 P150 6x89T150 7.95		P60	6x80T60	7.95
P120 6x80T120 7.95 P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 6" X 89" P60 6x89T60 7.95 X weight P100 6x89T80 7.95 P100 6x89T100 7.95 P120 6x89T120 7.95 P150 6x89T150 7.95	6" X 80"	P80	6x80T80	7.95
P150 6x80T150 7.95 P40 6x89T40 7.95 P50 6x89T50 7.95 6" X 89" P60 6x89T60 7.95 X weight P80 6x89T80 7.95 P100 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95	X weight	P100	6x80T100	7.95
P40 6x89T40 7.95 P50 6x89T50 7.95 6" X 89" P60 6x89T60 7.95 X weight P100 6x89T80 7.95 P100 6x89T100 7.95 P120 6x89T120 7.95 P150 6x89T150 7.95		P120	6x80T120	7.95
P50 6x89T50 7.95 6" X 89" P60 6x89T60 7.95 X weight P100 6x89T80 7.95 Fits Jet sander P120 6x89T100 7.95 P150 6x89T120 7.95 P150 6x89T150 7.95		P150	6x80T150	7.95
6" X 89" P60 6x89T60 7.95 X weight Fits Jet sander P80 6x89T80 7.95 P100 6x89T100 7.95 P120 6x89T120 7.95 P150 6x89T150 7.95		P40	6x89T40	7.95
6" X 89" P80 6x89T80 7.95 X weight P100 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95		P50	6x89T50	7.95
X weight P80 6x89T80 7.95 P100 6x89T100 7.95 Fits Jet sander P120 6x89T120 7.95 P150 6x89T150 7.95	4" V 00"	P60	6x89T60	7.95
Fits Jet sander P100 6x891100 7.95 P120 6x89T120 7.95 P150 6x89T150 7.95		P80	6x89T80	7.95
P120 6x891120 7.95 P150 6x89T150 7.95	_	P100	6x89T100	7.95
	Fits Jet sander	P120	6x89T120	7.95
P220 6x89T220 7.95		P150	6x89T150	7.95
		P220	6x89T220	7.95



Any size and grit not listed can be made to order.

SUNGOLD® PAPER SHEETS

SILICON CARBIDE NON-LOADING



- Zinc stearated coating reduces clogging and loading of paper for extended sheet life
- A weight latex impregnated paper provides highly flexible sheets and excellent grain adhesion, so paper can be bent, rolled or crumpled for desired use in flat or contour sanding
- P-graded Silicon Carbide grain breaks down and creates sharp points to cut well through hard surfaces and produce a consistent finish

APPLICATIONS

Lacquer, paint, primer, sealer, finishes between coats

ORDERING INFORMATION

Order by the number of packs

ww Grade Number Part # Per Pack WxL P80 142067 SGSSC80 39.95 39.95 P100 142074 SGSSC100 P120 SGSSC120 39.95 142081 P150 SGSSC150 142098 39.95 P180 SGSSC180 39.95 142104 9" x 11" P220 142111 SGSSC220 39.95 SGSSC240 39.95 P240 142142 P280 142159 SGSSC280 39.95 39.95 P320 142128 SGSSC320 P360 142166 SGSSC360 39.95 P400 142173 SGSSC400 39.95 P600 142197 SGSSC600 39.95

100 Sheets per pack

ALUMINUM OXIDE



- Unlike most Aluminum Oxide sheets, this product is a full resin on resin bond, which provides extended life on vibrating sanders and excellent grain adhesion
- Durable C weight paper
- Excellent for both hand and mechanical sanding

APPLICATIONS

Wood, metal, paint, primer, plastic, fiberglass

ORDERING INFORMATION

Order by the number of packs Assorted pack contains 20 each of following grits: 60, 80, 100, 120, 150

WxL	Grade	Part Number	WW Part #	Price Per Pack
	P40	130033	SGSA040	15.95
9" x 11"	P50	130040	SGSA050	13.95
	P60	130057	SGSA060	11.95
	P80	130064	SGSA080	10.95
Above part	#'s are 5	0 Sheets per	pack	
	P100	130071	SGSA0100	18.95
9" x 11"	P120	130088	SGSA0120	18.95
	P150	130095	SGSA0150	18.95
	P180	130101	SGSA0180	18.95
	P220	130118	SGSA0220	18.95
	Asst.	130132	SGSA0KT	19.95

Above part #'s are 100 Sheets per pack

SUNGOLD® PAPER SHEETS

WATERPROOF SHEETS

- Can be used wet or dry
- Wet use reduces clogging and eliminates dust for improved finish and extended abrasive life
- Latex impregnated paper provides highly flexible sheets and excellent grain adhesion
- P-graded Silicon Carbide grain breaks down and creates sharp points to cut well through hard surfaces and produce a consistent finish

APPLICATIONS

Furniture, metal, woodworking, automotive, boats

ORDERING INFORMATION

Order by the number of sleeves



WxL	Grade	Part Number	Sheets per Sleeve	Price Per Sleeve
	P80	14906	50	19.95
	P120	14908	50	19.95
	P180	14910	50	19.95
	P220	14911	50	19.95
	P240	14914	50	19.95
	P280	14915	50	19.95
9" x 11"	P320	14912	50	19.95
	P360	14917	50	19.95
	P400	14916	50	19.95
	P500	14918	50	19.95
	P600	14919	50	19.95
	P800	14920	50	19.95
	P1000	14921	50	19.95
	P1200	14922	50	19.95
	P1500	14924	50	19.95
	P2000	14926	50	19.95

SUNGOLD® PREMIUM PLUS PAPER SHEETS

NEW FOR 2004

- Our newest sheet that combines the best features of our white Silicon Carbide Non-Loading sheet and our brown Aluminum Oxide sheet
- Zinc stearated coating reduces clogging and loading of paper for extended sheet life
- C weight is durable, yet special additives in backing provide a highly flexible product and excellent grain
- Full resin on resin bond
- A premium P-graded Aluminum Oxide grain provides long life and a fast cut rate
- Fold ability makes this excellent for hand sanding
- Fast cut rate and long life makes this excellent for mechanical sanding
- Convenient package with hang tag allows product to be hung on a peg hook for display or storage

APPLICATIONS

Wood, solid surface materials, aluminum, metal, paint, primer, plastic, fiberglass, sealer, lacquer, between coats

ORDERING INFORMATION

Order by the number of packs. Each pack contains 25 sheets



W x L	Grade	Part Number	Sheets per Pack	Price Per Pack
	P80	11106	25	8.95
	P100	11107	25	8.95
9" x 11"	P120	11108	25	8.95
	P150	11109	25	8.95
	P180	11110	25	8.95
	P220	11111	25	8.95
	P240	11114	25	8.95
	P320	11112	25	8.95
	P400	11117	25	8.95
	P600	11119	25	8.95
	P800	11120	25	8.95
	P1000	11121	25	8.95

SUNGOLD® CLEANING STICKS

- Rubber material removes particles from belts to renew belt life
- No harsh smell

ORDERING INFORMATION

Order by the number of sticks

WxHxL	Part Number	WW Part #	Price Per Stick
1½" x 1½" x 8"	20-99005	NL	4.99
2" x 2" x 12"	20-99003	NL12	8.99



SUNGOLD® CONTOUR® WHEELS

- Special patented design provides uniform spread for consistent finishing
- Durable Aluminum Oxide resin bond material extends product life
- Each wheel has two specially cut cloth discs back to back in a grommet. Multiple wheels can be assembled together on one shaft to achieve wider coverage of sanding area

APPLICATIONS

Contoured surfaces, such as moldings, raised panel doors, tubing, chair parts, spindles and stair components

ORDERING INFORMATION

Order by the number of wheels

Diameter	Grade	Part Number	Price Per Wheel
4"	P150	081090	5.99
4"	P180	081106	5.99

MANDRELS

- Wheels can be replaced without removing mandrel from tool
- For use with Sungold Contour Wheels

ORDERING INFORMATION

Order by the number of sets. Each set includes nut and shank/shaft

Length	Part Number	Price Per Set
31/8"	990101	5.99







SUNGOLD® SANDING ANGLES

ALUMINUM OXIDE - X WEIGHT CLOTH

- Designed to fit Ryobi Brand detail sanders
- · Medium open coat is excellent for softwood, hardwood, plastic and metal
- Heavy duty, X weight, tear resistant 65/35 polyester/cotton cloth backing provides extra layer of protection for back-up pad
- Full resin on resin bond offers extended belt life
- P-graded Premium Aluminum Oxide grain creates fast cutting action
- Contoured shape provides superior sanding results in corners
- Release liner protects adhesive until you are ready to use individual angle
- Packed in a convenient and attractive clamshell package that can be displayed on peg hooks for easier locating in tool store or tool room
- Clamshell package can be opened and resealed to keep product clean and protected until ready to use



APPLICATIONS

Wood, metal, plastic, paint removal Excellent for all types of materials

ORDERING INFORMATION

Order by the number of packs Assorted packs contains 10 angles: 2-40x, 2-60x, 2-80x, 2-100x, 2-150x

Grade	Part Number	Qty./ Pack	WW Part #	Price Per Pack
P40	200033	10	RY504	4.95
P60	200057	10	RY506	4.95
P80	200064	10	RY508	4.95
P100	200071	10	RY510	4.95
P150	200095	10	RY515	4.95
Asst.	200132	10	RY550	4.95

SUNGOLD® SANDING SPONGES

- · Available in three different densities and thicknesses to cover a variety of applications, such as sanding into corners, flat sanding and contour sanding
- Can be rinsed clean and used again

ABRASIVE SANDING BLOCKS

Stiff sponge for flat surfaces and sanding into corners

APPLICATIONS


Drywall, plaster, wood, metal, paint, fiberglass surfaces

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE

4 sides - Aluminum Oxide



W x L x Thickness	Grade Grit	Part Number	Price Per Sponge
3 ³ / ₄ " x 2 ⁵ / ₈ " x 1"	Extra Coarse 36	800028	.95
	Coarse 60	800059	.95
	Medium 80	800066	.95
	Fine 100	800073	.95
	Superfine 180	800103	.95

FLEXIBLE SANDING PADS

Flexible sponge with a soft foam base

APPLICATIONS

Furniture, cabinetry and autobody repair Used on wood, metal, paint, plastics

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE

2 sides - Silicon Carbide

Price Sponge
.95
.95
.95
.95
.95

ABRASIVE HI-FLEX PADS

Maximum flexibility for contours and hard to reach areas

APPLICATIONS

Woodworking, cabinetry, and autobody repair for sanding the most awkward shapes Used on wood, metal, painted surfaces

ORDERING INFORMATION

Order by the number of sponges

GRAIN COVERAGE

1 side

280 Silicon Carbide, all other grits white Aluminum Oxide

Grade Grit	Part Number	Price Per Sponge
Extra Coarse 60	801056	1.25
Coarse 100	801070	1.25
Medium 180	801100	1.25
Fine 220	801117	1.25
Superfine 280	801155	1.25
	Extra Coarse 60 Coarse 100 Medium 180 Fine 220 Superfine	Extra Coarse 60 801056 Coarse 100 801100 801100 Fine 220 Superfine 801155

SUN BRITE® HAND PADS

- · Excellent for hand finishing
- Flexible
- · Waterproof and washable

APPLICATIONS

Cleaning, wood finishing, paint preparation, rust removal, metal finishing. For blending on Solid Surface, use part #30-69005. Test on hidden section to make sure blend is perfect.

ORDERING INFORMATION

Order by the number of pads



*Handpads do not cut, but this is the equivalent finish that would be achieved compared to sandpaper

WxL	Color	Grade	Part Number	Box/ Case	Price Per Pad
	Maroon	A VFN	30-69005	20/60	1.99
	Gray	S ULF	30-69010	20/60	1.99
	White	_	30-69015	20/60	1.99
6" x 9"	Green	A GP	30-69020	20/60	1.99
	Gray	S ULF	30-69025	20/60	1.99
	Tan	A MED	30-69035	20/40	1.99
	Maroon	A FINE	30-69040	20/60	1.99
	Black	S MED	30-69050	20/40	1.99

Part Number		Equivalent Finish*
30-69035	More Aggressive Rougher Finish	150-180
30-69050	Rougher Fillish	150-180
30-69040		240
30-69020		240-280
30-69005		280-320
30-69010		800-1000
30-69025	Less Aggressive	1000
30-69015	Finer Finish	no abrasive

SUNGOLD® SPIRAL BANDS For rubber drum spindle sanders

ALUMINUM OXIDE

- Medium open coat is excellent for softwood, hardwood, plastic and metal
- Continuous spiral wrap eliminates joint
- Multi-layer cloth backing provides stiff tube for easy and precise mounting

APPLICATIONS

Excellent for all types of materials including wood, metal, plastic

ORDERING INFORMATION

Order by the number of packs (if 6 in a pack) Order by the number of bands (if no pack quantity)

Diameter x W	Grade	Part Number	Pack	WW Part #	Price Per Pack
½" x 4½"	P50	456041	6	—	7.99
	P80	456065	6	SDS602	7.99
	P150	456096	6	SDS603	7.99
³ / ₄ " x 4 ¹ / ₂ "	P50	457048	6	SDS611	8.99
	P80	457062	6	SDS612	8.99
	P150	457093	6	SDS613	8.99
1" x 4½"	P50	458045	6	SDS621	9.99
	P80	458069	6	SDS622	9.99
	P150	458090	6	SDS623	9.99
1½" x 4½"	P50	459042	6	SDS631	10.99
	P80	459066	6	SDS632	10.99
	P150	459097	6	SDS633	10.99
2" x 4½"	P50	460048	6	SDS641	12.99
	P80	460062	6	SDS642	12.99
	P150	460093	6	SDS643	12.99
3" x 4½"	P50	461045	6	SDS651	16.99
	P80	461069	6	SDS652	16.99
	P150	461090	6	SDS653	16.99
1/4" x 55/8"	P60 P100 P150	450056 450070 450094	6 6 6		5.95 5.95 5.95
½" x 55/8"	P60	451053	6		6.95
	P100	451077	6	SG2	6.95
	P150	451091	6		6.95
5/8" x 55/8"	P60 P100 P150	452050 452074 452098	6 6 6	SG3	6.95 6.95 6.95
1½" x 5%"	P60	453057	6		8.95
	P100	453071	6	SG4	8.95
	P150	453095	6		8.95
2" x 5%"	P60	454054	6		9.95
	P100	454078	6	SG5	9.95
	P150	454092	6		9.95
3" x 5%"	P60 P100 P150	455051 455075 455099	3 3 3	_	5.95 5.95 5.95



Diameter x W	Grade	Part Number	Pack	Price Per Band
	P60	3X9SBA60	-	2.95
3" x 9"	P80	3X9SBA80	-	2.95
	P100	3X9SBA100	-	2.95
4" x 9"	P60	4X9SBA60	-	5.95
	P80	4X9SBA80	-	5.95

SUNGOLD® ROLLS WITH PSA BACKING

SILICON CARBIDE TYPE S13T

- Zinc stearated coating reduces clogging and loading of paper for extended life
- A weight latex impregnated paper provides excellent grain adhesion
- P-graded Silicon Carbide grain breaks down to create sharp points to cut well through hard surfaces and produce a consistent finish

APPLICATIONS

Hand sanding, half sheet and quarter sheet mechanical sanding. Wood, metal, plastic, fiberglass, sealer, primer and between coat sanding

ORDERING INFORMATION

Order by the number of rolls





WxL	Grade	Part Number	Price Per Roll
	P80	22-25080	11.99
	P100	22-25100	11.99
	P120	22-25120	11.99
2½" x 10 yards	P150	22-25150	11.99
,	P220	22-25220	11.99
	P320	22-25320	11.99

WxL	Grade	Part Number	WW Part #	Price Per Roll
	P80	22-45080	PO13608	15.99
	P100	22-45100	PO13600	15.99
	P120	22-45120	PO13620	15.99
41/2" x 10 yards	P150	22-45150	PO13615	15.99
•	P180	22-45180	PO136182	15.99
	P220	22-45220	PO13622	15.99
	P320	22-45320	PO13632	15.99

SUNGOLD® ROLLS WITH PSA BACKING

PREMIUM PLUS

- Zinc stearated coating reduces clogging and loading of paper which extends the life of the
- Strong and durable C weight paper backing will hold up under stress
- P-graded Aluminum Oxide cuts fast and lasts longer than Silicon Carbide
- Resin on resin bond holds up to heat of mechanical sanders to provide longer life than non-resin bond products

APPLICATIONS

Hand sanding, half sheet and quarter sheet mechanical sanding, wood, metal, plastic, fiberglass, sealer, primer and between coat sanding

ORDERING INFORMATION

Order by the number of rolls



Size	Grade	Number	Paet #	Per Roll
4½" x 10 yards	P60	27205	_	15.99
	P80	27206	_	15.99
	P100	27207	_	15.99
	P120	27208	_	15.99
	P150	27209	_	15.99
	P180	27210	_	15.99
	P220	27211	_	15.99

Use Premium Plus when you want more life.

Use S13T when you want a higher quality finish.

Precision Performance Every Time

With nearly three decades of expertise, Sungold provides outstanding abrasive solutions crafted for a full range of applications and industries.

Contact Us Today!



Corporate Headquarters:

4 Harbor Park Drive
Port Washington, NY 11050
Phone: 1-516-484-5145
Toll Free: 1-800-726-3004
Fax: 1-516-484-5108
Fax Order: 1-516-484-4406

www.sungoldabrasives.com sungold@sungoldabrasives.com

West Coast Factory & Warehouse:

8940 Sorenson Avenue, Unit #3
Santa Fe Springs, CA 90670
Phone: 1-562-944-9206
Toll Free: 1-800-211-1701
Fax: 1-562-944-2389

Important Notice to Purchaser

<u>Terms and Conditions of Sale; Product Selection</u> Your placement with Sungold Abrasives of an order for products constitutes your acceptance of Sungold's offer of sale and your agreement to these terms and conditions of sale. These terms and conditions shall be governed by the laws of New York (without reference to choice of law principles) and may not be changed except by Sungold's express written agreement. Notwithstanding any oral or written information, opinions, catalog descriptions or advice furnished by Sungold or its employees at any time, you, the Buyer, have sole responsibility to evaluate and test Sungold's products so you can select those that are suitable for use in your specific applications.

Limited Warranty and Remedy If products shipped do not conform to your specifications, or if, after use by you, the original Buyer, the products prove to be defective, Sungold will, as the exclusive remedy, at Sungold's option, either replace the non-conforming or defective products or issue a credit at their net invoice price. This limited warranty shall not apply if (a) we do not receive written notice of the non-conformity or defect from you within 15 days after you receive the products, (b) you do not return the non-conforming or defective products to us in their original packaging within 20 days after you receive the products or (c) the products are custom-made for you or are other special products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED AND STATUTORY, INCLUDING (WITHOUT LIMITATION) THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTIES ARISING OUT OF COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

<u>Limitation of Liability; Release</u> Except to the extent of the Limited Warranty and Remedy above, Sungold is not and shall not be liable to you for any claims, liabilities or damages of any kind whatsoever (including without limitation direct, indirect, compensatory, special, consequential, incidental or punitive damages) arising out of Sungold's provision of products to you. By purchasing products from Sungold, you expressly release Sungold from all such claims, liabilities and damages.

Errors: Photo & Color Disclaimer Sungold reserves the right to correct any clerical or typographical errors in this Catalog at any time. Product photographs and color shown herein are rendered as accurately as printing processes permit. While we have made every attempt to accurately portray each product, Sungold disclaims any liability for variations in photographic accuracy or color as compared to the actual product.

